

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

HYLANDS et al.

Atty. Ref.:

117-360

Patent No. 09/890,973

Issued: 6,806,090 B\

For: PROCESS FOR QUALITY CONTROL AND

STANDARDISATION OF MEDICINAL PLANT

PRODUCTS

* * * * * * * *

November 30, 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Certificate
DEC 0 2 2004

Sir:

of Correction

REQUEST FOR A CERTIFICATE OF CORRECTION

The patentee in the above-identified patent hereby requests that the Patent and Trademark Office issue an official Certificate of Correction pursuant to 37 C.F.R. § 1.322 for the following error made by the Patent Office.

On the cover page of the patent, the three provisional applications from which patentees claim benefit are not listed. They are as follows: Provisional application Nos. 60/120,591 filed February 18, 1999; 60/149,468 filed August 19, 1999; 60/168,382 filed December 2, 1999.

The filing receipt mailed June 3, 2002 correctly lists these applications from which patentees claim benefit.

Since the error arose on the part of the Patent and Trademark Office, no fee is believed necessary for securing issuance of the Certificate.

Attached hereto is a draft Official Certificate of Correction for use by the Patent and Trademark Office correcting the above-identified matter.

HYLANDS et al. **Patent No.** 09/890,973

The Commissioner is hereby authorized to charge any <u>deficiency</u> in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our **Account No. 14-1140**. A <u>duplicate</u> copy of this sheet is attached.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

Arthur R. Crawford Reg. No. 25,327

ARC:eaw

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000 Facsimile: (703) 816-4100



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

HYLANDS et al.

Atty. Ref.:

117-360

Patent No. 09/890,973

Issued: 6,806,090 131

For: PROCESS FOR QUALITY CONTROL AND

STANDARDISATION OF MEDICINAL PLANT

PRODUCTS

* * * * * * * * *

November 30, 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

REQUEST FOR A CERTIFICATE OF CORRECTION

The patentee in the above-identified patent hereby requests that the Patent and Trademark Office issue an official Certificate of Correction pursuant to 37 C.F.R. § 1.322 for the following error made by the Patent Office.

On the cover page of the patent, the three provisional applications from which patentees claim benefit are not listed. They are as follows: Provisional application Nos. 60/120,591 filed February 18, 1999; 60/149,468 filed August 19, 1999; 60/168,382 filed December 2, 1999.

The filing receipt mailed June 3, 2002 correctly lists these applications from which patentees claim benefit.

Since the error arose on the part of the Patent and Trademark Office, no fee is believed necessary for securing issuance of the Certificate.

Attached hereto is a draft Official Certificate of Correction for use by the Patent and Trademark Office correcting the above-identified matter.

HYLANDS et al. Pátent No. 09/890,973

The Commissioner is hereby authorized to charge any <u>deficiency</u> in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our **Account No. 14-1140**. A <u>duplicate</u> copy of this sheet is attached.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

Arthur R. Crawford Reg. No. 25,327

ARC:eaw

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000

Facsimile: (703) 816-4100

Staple Here Only!

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

: 09/890,973

DATED

: 6,806,090 1

INVENTOR(S)

: HYLANDS et al.

It is certified that error appears in the above-identified patent and that said letters patent is hereby corrected as shown below:

Related U.S. Application Data

(60) Provisional application Nos. 60/120,591 filed February 18, 1999; 60/149,468 filed August 19, 1999; 60/168,382 filed December 2, 1999.

MAILING ADDRESS OF SENDER:

Arthur R. Crawford NIXON & VANDERHYE P.C. 1100 North Glebe Road, 8th Floor

Arlington, Virginia 22201

Form PTO 1050 (Rev. 2-93)

PATENT NO.

09/890,973

No. of addi'